The Department of Military Affairs and Public Safety Office of the State Fire Marshal

1207 Quarrier St, 2nd Floor Charleston, WV 25301 Phone: (304) 558-2191 Fax: (304) 558-2537

COMPLAINT FORM INSTRUCTIONS:

When to fill out this form:

- To report unlicensed electricians working
- To report faulty electrical workmanship / NEC violations by a licensed electrician
- To report all explosive complaints / violations
- To report any unsafe firework displays
- To report non-certified home inspectors/building code officials
- To report unlicensed electrical inspectors

Who can fill out this form:

Any individual witnessing or having pertinent information to any of the above.

How to complete this form:

- Using Adobe Acrobat Reader print this form on your local printer.
- Complete this form to the best of your knowledge.
- Mail to: Office of the State Fire Marshal, 1207 Quarrier St, 2nd Fl, Charleston, WV 25301.
- Or you may fax it to: Office of the State Fire Marshal, Attn. Anthony Carrico at (304) 558-2537.

Should you need further instructions or need assistance in completing this form, please do not hesitate to contact us weekdays between 0800 am and 0400 pm at (304) 558-2191 Ext. 207

The Department of Military Affairs and Public Safety Office of the State Fire Marshal

1207 Quarrier St, 2nd Floor Charleston, WV 25301 Phone: (304) 558-2191 Fax: (304) 558-2537

COMPLAINT FORM

Type Of Complaint		Electrical	Explosives	Fireworks			
Complainant	Name			Phone No.		()
	Address			County			
	City			State		Zip	
Violator	Name			DBA			
	Address			Phone	No.	()
	City			State		Zip	
Complaint Location	Address			County			
	City			State		Zip	
S 7	Directions						
Nature of Complaint							
I, the undersigned, believe that the above mention information is a valid complaint and I request the West Virginia State Fire Marshal's Office to investigate the above mentioned allegations. I am also aware that my name may be released under the Freedom of Information Act to all parties involved in this complaint.							
(Date)		(Signature)					